>This form may be photocopied.<

NATIONAL ORGANIZATION SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM

✓ Monumentwith Sculpture without Sculpture with Cannon standalone Cannon
Historical MarkerPlaque Other (flag pole, G.A.R. buildings, stained glass windows, etc.)
Affiliation
GAR MOLLUS SUVCW WRC ASUVCW LGAR ✓ DUVCW Other
LGAR _V DOVCW Other
If known, record name and number of post, camp, corps, auxiliary, tent, circle or appropriate information of other groups:
Kilpatrick Post No 38, Grand Army of the Republic, Newburg Oregon
Ripatilick Post No 36, Grand Army of the nepublic, Newburg Oregon
Original Dedication Date May 18th, 1892 Please consult any/all newspaper archives for a local paper's article
that would have information on the first dedication ceremony and/or other facts on the memorial. Please submit a copy of your findings
with full identification of the paper & date of publication. Thank you.
Location
The Memorial is <i>currently</i> located at:
Street/Road address or site location Newberg Friends Cemetery. 500 S Everest Rd. Newberg. OR 97132
GPS Coordinates Lat: 45.296542 Long: 122.959037
City/Village &/or Township Newberg
County Yamhill State Oregon Zip Code 97132
The front of the Memorial faces: North South East ✓ West
The field of the Methorial Ideou North Godd Zaot Woot
Government Body, Agency, or Individual Owner
Name Newberg Friends Cemetery
Dept./Div
Street Address 500 S Everest Rd, Newberg, OR State Organia 7 Code 07132
City Newberg State Oregon Zip Code 97132
City Newberg State Oregon Zip Code 97132 Contact Person Mark Thompson.Sexton Telephone (503) 538.5489 ext
Contact Person Mark Thompson.Sexton Telephone (503) 538.5489 ext ext ls Memorial on the National Register of Historic Places ✓ Yes No ID # if known
Is Memorial on the National Register of Historic Places _√_YesNo ID # if known
Is Memorial on the National Register of Historic Places YesNo ID # if known94000809
Is Memorial on the National Register of Historic PlacesYesNo ID # if known
Is Memorial on the National Register of Historic PlacesYesNo ID # if known
Is Memorial on the National Register of Historic Places Yes No ID # if known
Is Memorial on the National Register of Historic PlacesYesNo ID # if known
Is Memorial on the National Register of Historic Places Yes No ID # if known
Is Memorial on the National Register of Historic Places Yes No ID # if known

©2007-2015 Sons of Union Veterans of the Civil War, a Corporation

FORM CWM #61]	Page 2
For Historic Marker or Plaque:			
Material of Plaque or Historical Marker / Tablet = N/A		8-15-1-1 HILLIAN	
For Cannons with/without monument:		nd and had not not one one one one one one and	the second secon
Material of Cannon = Bronze Iron Type of Cannon (if known)	Differen	VEC	
Markings: Muzzle Bronze Iron Type of Cannon (if known) Markings: Muzzle Base Ring/Breech Left Trunion Right Trunion Is inert ammunition a part of the Memorial? Yes No	Killed	_1E5	NO
[For camp/department monuments officer's use: Cannon on list of known ordnance]			21.1
For Other Memorials: (flag pole, G.A.R. buildings, stained glass windows, etc.)			
What best describes the memorial Obelisk			
Materials of the Memorial Cast Concrete, painted			
Complete for All Memorials Approximate Dimensions (indicate unit of measure) - taken from tallest / widest points.	nts		
197" / 16' 5" Height 72" / 6' 0" Width 72" / 6' 0" Depth or 72" / 6' 0"	Diameter		
For Memorials with multiple Sculptures, please record this information on a separate sheet of paper and attach to this form. Please describe the "pose" of each statue and any weapons/implements investigated from this form). Thank you!	for each statue (olved (in case yo	service, po our photos	ose, etc) become
Markings/Inscriptions (on stone-work / metal-work of monument, base, sculpture)	8		
Maker or Fabricator mark / name? If so, give name & location found			
Please attach legible photographs of all text &/or Record the text in the space below. Pleasurative sheet if necessary.	ise use the add	dendum –	-
Monumernt consists of:			
1) A Cast concrete base, formed of a Obelisk base 42" square length & width (2' 6"), 32" high (2' 8")			
2) A pair of rectangular shaped base "buttresses" flanking the obelisk base North & South, both of Cadeep, and 36" tall ($2'$ 8" w x $6'$ 0" deep x $2'$ 8" tall	st concrete, each	1 32 " wide	, 72"
3) A Cast concrete Obelisk of 165" height (13' 9"), 30" x 30" at the base (2' 6"), 18" at the top (1' 6"). sloped pyramid, all one cast piece.	Top is finished w	vith a equa	ling
Overall height of monument is 197" (16' 5"			

Obelisk has four original marking, cast letters at Obelisk midpoint as follows: West (front): GAR. South: SV. East: DUV. North: WRC.

Monument is accessed from the West (front)by a paved driveway and encircled by the same, approx 12' in width, forming a keyway. There is a round concrete border / flush curb around the monument at the inside edge of the driveway.

On sept/Oct XX, 2020 a severe weather event with strong winds broke several of the crown limbs of a 100+ year old Oak overgrowing the monument. A falling limb broke the Obelisk's top 1/3rd off.

Pictures are attached showing both the as built Obelisk & the damage.

Environmental Setting (The general vicinity and immediate locale surrounding a memorial can play a major role in its overall condition.)
Type of Location ✓ Cemetery Park Plaza/Courtyard "Town Square" Post Office School Municipal Building State Capitol Courthouse College Campus Traffic Circle Library Other:
General Vicinity Rural (low population, open land) Suburban (residential, near city) Town Urban / Metropolitan
Immediate Locale (check as many as may apply) Industrial Commercial Street/Roadside within 20 feet _✓_ Tree Covered (overhanging branches) Protected from the elements (canopy or enclosure, indoors) Protected from the public (fence or other barrier)
Any other significant environmental factor
[To detail the condition of a monument used the addendum form for Monument's Condition]
Supplemental Background Information In addition to your on-site survey, any additional information you can provide on the described Memorial will be welcomed. Please label each account with its source (author, title, publisher, date, pages). Topics include any reference to the points listed on this questionnaire, plus any previous conservation treatments - or efforts to raise money for treatment. Addendums attached to this electronic file are the Monument's Condition and the Narrative forms. Only the Monument's Condition form is required if you are requesting grant money using form CWM-62 SUVCW Memorial Grant Application Form and Instructions.
Thank you.
Inspector Identification Date of On-site Survey Your Name Mark M Stevens PDC November 11, 2020
Address 632 SW Washington Street City DALLAS State OREGON Zip Code 97738-3412
City DALLAS State OREGON Zip Code 97738-3412
Are you a member of the Allied Orders of the G.A.R.? If so, which one? Colonel Edward D. Baker Camp #6, Department of Columbia, Sons of Union Veterans of the Civil War, 71st PA Infantry, 6th District, SVR
Please send this completed form to: Walt Busch, PDC, Chair 1240 Konert Valley Dr. Fenton, MO 63026
Thank you for your help, and attention to detail.
Sons of Union Veterans of the Civil War - Civil War Memorials Committee.

SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM ADDENDUM – MONUMENT'S CONDITION

Completion of this form is required when requesting grant money using form CWM-62 SUVCW Memorial Grant Application Form and Instructions.

Condition Information

Structural Condition (check as many as may apply)

The following section applies to <u>Monuments with Sculpture</u>, and <u>Monuments without Sculpture</u> including the base for <u>Monuments with Cannon</u>. Instability in the sculpture and its base can be detected by a number of factors. Indicators may be obvious or subtle. Visually examine the sculpture and its base.

	Sculpture	Base
If hollow, is the internal support unstable/exposed?		Name and Address of the Control of t
(Look for signs of exterior rust)		
Any evidence of structural instability?	New York of Contracts	The state of the s
(Look for cracked joints, missing mortar or caulking or plant growth) Any broken or missing parts?	✓	
(Look for elements (i.e., sword, musket, hands, arms, etc missing		Manufacture of the second annual second seco
due to vandalism, fluctuating weather conditions, etc.)		
Any cracks, splits, breaks or holes?	√	
(Also look for signs of uneven stress & weakness in the material)		
Surface Appearance (check as many as may apply)		
	Sculpture	Base
Black crusting	general description of the control o	A
White crusting	Market Control of the	months and a second
Etched, pitted, or otherwise corroded (on metal)	-	Annanius milities (Carana
Metallic staining (run-off from copper, iron, etc.)	Management 1	
Organic growth (moss, algae, lichen or vines)	Marie Control of the	www.commission.com
Chalky or powdery stone	process processing a particular	And the contract of the contra
Granular eroding of stone		
Spalling of stone (surface splitting off)	and control of the co	All described and an experimental and an exper
Droppings (bird, animal, insect remains)	Mary and the second designation of	An advantage of the second of
Other (e.g., spray paint graffiti) - Please describe		
Does water collect in recessed areas of the Memorial?YesNo	✓ Unable to tell	
Surface Coating		
Does there appear to be a coating? Yes NoUnable to de If known, identify type of coating.	termine	
	to determine	
Gilded Painted Varnished Waxed Unable Is the coating in good condition? Yes No Unable to determine	to dotormino	
is the coating in good condition: res No onable to determine		
Basic Surface Condition Assessment (check one) In your opinion, what is the general appearance or condition of the Memorial	?	
Well maintained Would benefit from treatment In urgent ne	ed of treatment Ur	able to determine
Briefly describe the Memorial (affiliation / overall condition & any concern no	t already touched on) .	
# · · · · · · · · · · · · · · · · · · ·		
Inspector's Name mul m steps poc Date	12/04/2020	

ADDENDUM FORM CWM #61

>This form may be photocopied.<

©2007-2015 Sons of Union Veterans of the Civil War, a Corporation.

SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM ADDENDUM - NARRATIVE

[Generally used to record the text of monuments, but may be used for any other useful information, such as if the monument has been moved or if you have information about the day of dedication. May repeat use of page as often as necessary.]

	n_Newberg Friends Cemetery, 500 S Everest GPS Coordinates_Lat:	t Rd, Newberg, OR 9/132 45.296542 Long: 122.959037
City/Village and/or Township Newbe	rg	
County ^{- Yamhill}	State Oregon	Zip Code 97132
TEXT		
		,
4		
	*	,
4		
1		

M Slaw PDC Date 12/04/2020
>This form may be photocopied. ©2007-2015 Sons of Union Veterans of the Civil War, a Corporation.




SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL FUND REQUEST

(FORM CWM #62)

REQUESTOR INFORMATION (Please print or type	pe)	
CAMP AND DEPARTMENT NAME: Col. Edward D.	Baker Camp No. 6 - Dept of the Co	olumbia
NAME/ TITLE OF CONTACT PERSON: Timothy J. O	'Neal, PCC - Camp Sec/Treasurer	- Dept Sec.
ADDRESS: 1940 SE GODSEY 1	ROAD	
CITY: DALLAS		ODE: 97338 - 27
SIGNATURE: Timothy f. O'Y	Real	_
NAME OF MEMORIAL/MONUMENT Kilpatrick Po		Martin 1 (1)
NAME, NUMBER & STREET ADDRESS OF CEM	ETERY OR OTHER LOCATION	
Friends Cemetery, 500S Everest Road, Newbe	erg, OR 97132	-
LOCATION DESCRIPTION (i.e. corner of 3 rd and Lincoln	5th and S Everest Road	
GPS location: Latitude 45.2972000 - Longitude		
GPS N_45°17 W 122°57 City NEW B	ERG State Oregon	ZIP_97132
WAS FORM CWM-61: GAR MONUMENTS/CIVIL WAR	MEMORIALS ASSSESSMENT SURMIT	TED2 V X N
v		
EXISTING MONUMENTNEW MON	NUMENTLAST SOLDIER PR	OJECT
RESTORATION COST \$ 1060 AMOUNT	RAISED \$300 REQUESTED	\$ <u>760</u>
CHECK PAYABLE TO: OM Stone		
ADDRESS: 1299 NE 25TH AVE		
CITY: HILLS BORO	State: Oregon ZIP CODE:	97124
Memorial Grant Committee Use Only		
Grant Request #	Amount Approved \$	
Approve Deny Table Name Committee Member	Signature	Date
Peter J. Hritsko	Peter J. Hritako	01/15/2021
X Harry Wm Reineke IV	Peter J. Hritako	
Henry C. Duquette	Henry C. Duquelle Verified by PDFFIller	01/15/2021
Check box, sign, date & return completed email to Commi	ittee Chair, who will send to National Treasu	urer for payment.

MONUMENT/ MEMORIAL INFORMATION

WHEN WAS IT BUILT: 1892 WHO OWNS IT: GAR
WHO IS FINANCIALLY RESPONSIBLE? Perpetual care provided by the Friends Cemetery Committee and volunteers.
ARE MATCHING CONTRIBUTIONS AVAILABLE? Yes FROM WHERE: The Col. Edward D. Baker Camp No. 6
ARE OTHER SOURCES OF FUNDS AVAILABLE? Yes FROM WHERE: The local VFW Hall # 4015
provided \$ 2000 to remove the oak tree that caused the damage, avoiding more damage.
WAS A GRANT FROM THE SUVCW PREVIOUSLY RECEIVED FOR THIS PROJECT? No
DATE: AMOUNT:
DESCRIBE THE WORK THE GRANT IS NEEDED FOR (Be specific, use continuation sheet if needed) OM Stone will prepare the broken concrete obelisk section (52") by drilling holes to accept pins.
They will then raise the section over the break point, apply appropriate epoxy glue and lower it into position.
WHO EVALUATED THE NEED FOR THE WORK AND WHAT ARE THEIR QUALIFICATIONS?
DH Shearer, CC - Tim O'Neal PCC - Mark Stevens, PDC
WHO WILL DO THE DESCRIBED WORK, AND WHAT ARE THEIR QUALIFICATIONS? OM Stone, They
specialize in custom stone creations for funeral homes, cemeteries, etc. since 1947
WHO WILL RECEIVE FUNDS IF GRANTED? OM Stone - Hillsboro, Oregon - Contact person:
John Weber
LIST WHAT THE CAMP/DEPARTMENT HAS AND/OR WILL DO TO ACCOMPLISH THE PROJECT
Photo record of pin and glue repair. Minor masonry repair is not included in OM quote. After the epoxy has set, Baker Camp volunteers will seal cracks and voids, clean the monument top to
bottom. We will then apply a fresh coat of white paint. There are letters that are missing on the
East side of the monument which we are still researching as to what they were before they were removed by vandalism. Baker Camp volunteers will also perform routine grounds keeping work.





SONS OF UNION VETERANS OF THE CIVIL WAR

D. Michael Beard National Treasurer 17 Rubins Walk Fredericksburg, Virginia 22405



January 21, 2021

OM Stone John Weber 1299 NE 25th Avenue Hillsboro, Oregon 97124

Greetings OM Stone,

Enclosed is a check for \$760 for the repair of the Kilpatrick Post GAR Monument in the Friends Cemetery, 500 S Everest Road, Newberg, Oregon. This is a grant from the Sons of Union Veterans of the Civil War requested by the Colonel Edward D. Baker Camp of the Department of the Columbia. Point of contact is Timothy O'Neal, Past Camp Commander, 1940 SE Godsey Road, Dallas, Oregon 97338;

Regards,

D. Michael Beard Treasurer@suvcw.org