NATIONAL ORGANIZATION SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM

Type of Memorial (ch				
✓ Monument ✓ with So	ulpture with	hout Sculpture wit	th <i>Cannon</i> standalone Can	non
Historical Marker ✓I	Plaque Oth	er (flag pole, G.A.R. bเ	uildings, stained glass windows, et	ic.)
Affiliation				
GAR MOLLU	is s	SUVCW W	/RC ASUVCW	
LGARDUVC		Other		
If known, record name and number	of post, camp, corps	s, auxiliary, tent, circle or app	propriate information of other groups:	
Original Dedication Date On that would have information on the with full identification of the paper 8	tober 5, 1912 first dedication cerer date of publication.	Please consult ar mony and/or other facts on tl Thank you.	ny/all newspaper archives for a local pape he memorial. Please submit a copy of you	r's article ır findings
Location				
The Memorial is <i>currently</i> I				
Street/Road address or site	e location Washir			
			es N 42' 39.403" W 73' 46.004"	
City/Village &/or Township	Albany			
County Albany		State NY	Zip Code	
The front of the Memorial f Government Body, Agen Name City of Albany			t West	
Dept./Div. Department of Recreati	on			
Street Address City Hall - 24 Ea				
O'1 A!!		State NY	7in Code 12207	
Contact Person Commissioner		Telephone (518	Zip Code 12207	
CONTRACT CISON CONTRACTOR		releprione (500) <u>434-5090</u> ext	
Is Memorial on the Nationa	l Register of Hi	storic PlacesYes	SNo ID # if known_Unknown	
For Monuments with/with Physical Details Material of Monument or base u If known, name specific material	nder a Sculpture o	or Cannon =✓ Stone	Concrete MetalOther arble, Stony Creek granite	
Material of the Sculpture✓ If known, name specific material	Stone Conc	rete <u>√</u> MetalC marble, etc.) pink Tennesse	Other Is it hollow or solid? unknown	

FORM CWM #61		Page 2
For Historic Marker or Plaque:		
Material of Plaque or Historical Marker / Tablet = bronze	e	
For Cannons with/without monument:		
Material of Cannon = Bronze Iron Type Markings: Muzzle Left Trupion	of Cannon (if known)	Pifled VES NO
Markings: Muzzle	Base Ring/BreechRight Trunion	TrilledILGINO
Is inert ammunition a part of the Memorial? Yes	No	
[For camp/department monuments officer's use: Canno	on on list of known ordnance]	YesNo
For Other Memorials: (flag pole, G.A.R. buildir	ngs, stained glass windows, e	tc.)
What best describes the memorial		
Materials of the Memorial		
Complete for All Memorials Approximate Dimensions (indicate unit of meas		
rieigntvvidtilvvidtil		
For Memorials with multiple Sculptures, please record this in and attach to this form. Please describe the "pose" of each separated fi	formation on a separate sheet of pa statue and any weapons/implements rom this form). Thank you!	aper for each statue (service, pose, etc) involved (in case your photos become
Markings/Inscriptions (on stone-work / metal-wo	rk of monument, base, sculpture	e)
Maker or Fabricator mark / name? If so, give name & lo	see attached narrative ocation found	9
Please attach legible photographs of all text &/or Reconnarrative sheet if necessary.	rd the text in the space below. I	Please use the addendum –
Attachments: to Form 61: 1) Two page narrative; 2) Photogra	phs.	

Environmental Setting (The general vicinity and immediate locale surrounding a memorial can play a major role in its overall condition.)
Type of Location Cemetery
General Vicinity Rural (low population, open land) Suburban (residential, near city) Town _✓ Urban / Metropolitan
Immediate Locale (check as many as may apply)IndustrialCommercial✓ Street/Roadside within 20 feet Tree Covered (overhanging branches) Protected from the elements (canopy or enclosure, indoors) Protected from the public (fence or other barrier)
Any other significant environmental factor
[To detail the condition of a monument used the addendum form for Monument's Condition]
Supplemental Background Information In addition to your on-site survey, any additional information you can provide on the described Memorial will be welcomed Please label each account with its source (author, title, publisher, date, pages). Topics include any reference to the points listed on this questionnaire, plus any previous conservation treatments - or efforts to raise money for treatment. Addendums attached to this electronic file are the Monument's Condition and the Narrative forms. Only the Monument's Condition form is required if you are requesting grant money using form CWM-62 SUVCW Memorial Grant Application Form and Instructions. Thank you.
Inspector Identification Your Name James R. King Date of On-site Survey April 7, 2016
Address c/o Col. George L. Willard Camp No.154, P.O. Box 13681
City Albany State NY Zip Code 12212-3681 Telephone
Are you a member of the Allied Orders of the G.A.R.? If so, which one? Col. George L. Willard Camp No. 154 - NY Dept SUVCW
Please send this completed form to: Walt Busch, PDC, Chair 1240 Konert Valley Dr. Fenton. MO 63026
Thank you for your help, and attention to detail.

Sons of Union Veterans of the Civil War - Civil War Memorials Committee.

SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM ADDENDUM – MONUMENT'S CONDITION

Completion of this form is required when requesting grant money using form CWM-62 SUVCW Memorial Grant Application Form and Instructions.

Condition Information

Structural Condition (check as many as may apply)

The following section applies to <u>Monuments with Sculpture</u>, and <u>Monuments without Sculpture</u> including the base for <u>Monuments with Cannon</u>. Instability in the sculpture and its base can be detected by a number of factors. Indicators may be obvious or subtle. Visually examine the sculpture and its base.

	Sculpture	Base
If hollow, is the internal support unstable/exposed?		
(Look for signs of exterior rust) Any evidence of structural instability?		
(Look for cracked joints, missing mortar or caulking or plant growth)		-
Any broken or missing parts?		
(Look for elements (i.e., sword, musket, hands, arms, etc missing due to vandalism, fluctuating weather conditions, etc.)		
Any cracks, splits, breaks or holes?	✓	
(Also look for signs of uneven stress & weakness in the material)		
Surface Appearance (check as many as may apply)		
	Sculpture	Base
Black crusting		
White crusting		
Etched, pitted, or otherwise corroded (on metal)		
Metallic staining (run-off from copper, iron, etc.) Organic growth (moss, algae, lichen or vines)		
Chalky or powdery stone		-
Granular eroding of stone		· · · · · · · · · · · · · · · · · · ·
Spalling of stone (surface splitting off)		
Droppings (bird, animal, insect remains)		and the second s
Other (e.g., spray paint graffiti) - Please describe		
Crack in left side, north face of Tennessee Marble sculpture. Minor cracks and chips in 70' x 64' Stony Creek gra	nite platform. Severe wear in sm	nall, bronze
commeration plaque due to people standing on plaque and wearing down raised letters.		
Does water collect in recessed areas of the Memorial?Yes✓_No	Unable to tell	
Surface Coating		
Does there appear to be a coating?Yes✓ NoUnable to deter	mine	
If known, identify type of coating.		
Gilded Painted Varnished Waxed Unable to determine	determine	
Is the coating in good condition?Yes No Unable to determine		
Basic Surface Condition Assessment (check one)		
In your opinion, what is the general appearance or condition of the Memorial?		
Well maintained Would benefit from treatment In urgent need	of treatment Unab	le to determine
Briefly describe the Memorial (affiliation / overall condition & any concern not almonument is generally in good condition. Most recent restoration in 2012.	ready touched on) .	
2012.		
Inspector's Name James R. King Date Apr	il 7 2016	
Date 191	, 2010	

SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM ADDENDUM – NARRATIVE

[Generally used to record the text of monuments, but may be used for any other useful information, such as if the monument has been moved or if you have information about the day of dedication. May repeat use of page as often as necessary.]

Street/Road address or site location Washington Park at Henry Johnson Boulevard entrance GPS Coordinates N 42' 39.403" W 73' 46.004"					
City/Village and/or Township Albany					
ounty Albany	State NY	Zip Code			
EXT					
See attached narrative.					

NARRATIVE: Soldiers and Sailors Monument – Washington Park, Albany, NY Attachment to SUVCW Form 61 – April 7, 2016
Page 1/2

The City of Albany commissioned a monument in 1909 to honor its native sons who died in Civil War. The Washington Park site was selected because it was formerly used for military training and was the City's premier public park.

Architect: Lord and Hewlett

Sculptor: Hermon Atkins MacNeil (1866-1947)

Title: "The Nation of Peace Won through Victorious War" (given by sculptor)

Contractor: Albany Granite Company

Original Cost: \$100,000 Dedication Date: 5 Oct 1912

Originally dedicated by: Grand Army of the Republic (Camp or Dept. representation unknown) **Speakers at Original Dedication:** NY Governor John A. Dix, Albany Mayor James B. McEwan and George B. McClellan, Jr.; former US Congressman, former New York City Mayor and son of Union General

George B. McClellan.

PHYSICAL DESCRIPTION

The monument has four (4), major elements: 1) A 22' wide x 6' deep x 21' high, right-rectangular prism of Tennessee Marble with over sixty (60) life-sized figures carved on its four sides; 2) The prism of marble is surrounded by a seat of Stony Creek granite; 3) A 9' high bronze sculpture of an allegorical female figure dressed in long robes representing "the Nation". She is standing upright in front of a chair of Roman design and is cradling "palms of victory" in her arms; while clasping a sheathed, "Sword of War", in her right hand. The bronze figure stands on a pedestal of Tennessee Marble, with a bronze seal of the City of Albany below the figure; 4) the monument rests on a 70' x 64' platform of Stony Creek granite.

Each face of the marble prism has a theme. 1) North: To the right of the bronze figure are Soldiers marching to the fight. To the left are Sailors moving to action. A shield with 13 stars, representing the Nation, is carved directly behind the bronze; 2) South: An artillery battery is depicted on the move; 3) West: A wounded drummer boy, symbolizing Patriotism, is cradled by the right arm of a female figure, representing the Nation with a "sword of war" and "palms of victory" in her left hand; 4) East: Soldier returning home to his wife and child at wars end with the victorious Nation figure overseeing the joyful reunion.

On the right side of the bronze chair is a panel with two cherubs holding a helmet representing the Army. Below this panel is the signature of the sculptor. On the right side of the chair is a panel with two more cherubs holding a shield crested with an anchor representing the Navy. On the north face of the bronze base is a chain, representing the Navy. At each end of the chain is a horseshoe, representing the Cavalry. The names of the architect and contractor are inscribed in the marble just below the right side of the bronze.

A bronze, commemoration plaque is mounted on the granite seat on the south side of the monument. The plaque lists the members of the City's monument commission. Period light poles are located at each corner of the monument's plaza to provide lighting at night.

NARRATIVE: Soldiers and Sailors Monument – Washington Park, Albany, NY Attachment to SUVCW Form 61 – April 7, 2016 Page 2/2

The following inscription is carved on the south marble face below the carved figures:

"IN COMMEMORATION
OF THE MEN OF ALBANY WHO GAVE THEIR LIVES TO SAVE THE UNION
AND IN GRATEFUL RECOGNITION OF ALL WHOSE PATRIOTISM
AIDED IN GIVING TO THIS NATION UNDER GOD A NEW BIRTH OF FREEDOM
IN MAKING LOVE OF COUNTRY A NATIONAL VIRTUE
AND IN ENDOWING OUR LAND WITH THE BLESSINGS
OF PEACE AND PROSPERITY"

REDEDICATION – November 12, 1986

On the occasion of the City of Albany's Tricentennial, the monument was rededicated after a \$200,000 restoration. The monument was renamed "Albany Veterans Memorial Monument". The unveiling was performed by two, 85 year old women who participated in the original unveiling, as young girls. SUVCW-NY Dept. – Willard Camp 154 participated in the 1986 rededication.

100th ANNIVERSARY REDEDICATION – October 5, 2012

The monument was again rededicated after a \$12,000 restoration by the Washington Park Conservancy. SUVCW- NY Dept. – Willard Camp 154 participated in the 2012 rededication.

NATIONAL DATABASES CONTAINING DATA ON SUBJECT MONUMENT

- 1. Index of American Sculpture, University of Delaware, 1989.
- 2. National Park Service, American Monuments and Outdoor Sculpture Database #NY0288, 1989.
- 3. America Art Museum's Inventories of American Painting and Sculpture database. Smithsonian American Art Museum. Control# IAS 76007056.

REFERENCES

- 1. New York Times, Page 11, October 6, 1912.
- 2. Albany Times Union, November 12, 1986.
- 3. Albany Guide Book, by John D. Whish, Section 162, J. B. Lyon Company, Printers, 1917.
- 4. Foundations of America.com.
- 5. Waymarking.com.
- 6. AllOverAlbany.com, October 30, 2012.
- 7. Smithsonian Institution Research Information System (SIRIS).
- 8. Wikipedia.org.
- 9. John S. Pipkin, Vice President Washington Park Conservancy and Professor of Geography and Planning, University at Albany, State University of NY.































