FORM CWM #61 Page 1

NATIONAL ORGANIZATION SONS OF UNION VETERANS OF THE CIVIL WAR CIVIL WAR MEMORIAL ASSESSMENT FORM

Type of Memor	ial (check all	applicabl	le)						
				with <i>Can</i>	non	_ standalone Cannon			
						glass windows, etc.)			
Affiliation									
GAR	_ MOLLUS _	SUVC) Other	W	WRC _	AS	SUVCW			
LGAR	DUVCW	<u>✓</u> Other							
If known, record name ar	nd number of post, ca	mp, corps, auxil	iary, tent, circl	e or appropriate	e informatio	on of other groups:			
Unknown, probably several	groups around 2002 es	timating the age o	f the signage						
Original Dedication that would have informati with full identification of the	on on the first dedica	ition ceremony a	and/or other fa	nsult any/all nevets on the mem	wspaper ai orial. Pleas	rchives for a local paper's article se submit a copy of your findings			
Location									
The Memorial is cu	urrently located a	at:							
Street/Road address	ss or site location	n Pine Ridge Ce	emetery (AKA Bi	rney Cem, Histori	ic Pine Ridg	e Cem or Soldiers Rest Cem)			
27 North Tuscola Rd	27 North Tuscola Rd GPS Coordinates N43°35'22.512" W83°51'48.01290								
City/Village &/or To			•						
County Bay County			State MI			Zip Code 48708			
,						'			
The front of the Me	emorial faces:	North <u></u>	South	_ East \	West				
Government Body Name Pine Ridge Ceme		ndividual O							
Dept./Div.									
Street Address 198									
City Bay City			State MI		7in	Code 48708			
City Bay City Contact Person			Telephone	2 (989) 402-5	 188	ext			
Is Memorial on the									
					-				
For Monuments we Physical Details Material of Monument If known, name specific	or base under a Sc	ulpture or Can							
Material of the Sculptu If known, name specific	reStone_ <u>v</u> c material (color of	Concrete _ granite, marble	Metal _ e, etc.)	Other Is	s it hollow	or solid?			

FORM CWM #61 Page 2 For Historic Marker or Plaque: Material of Plaque or Historical Marker / Tablet = Metal posts with copolymer text signage For Cannons with/without monument: Material of Cannon = _____ Bronze _____Iron Type of Cannon (if known)_ Rifled YES NO Markings: Muzzle______ Base Ring/Breech_____ Right Trunion Left Trunion Is inert ammunition a part of the Memorial? Yes No [For camp/department monuments officer's use: Cannon on list of known ordnance] _____ Yes ____ -----For Other Memorials: (flag pole, G.A.R. buildings, stained glass windows, etc.) What best describes the memorial Materials of the Memorial Complete for All Memorials Approximate Dimensions (indicate unit of measure) - taken from tallest / widest points Height 3' Width 18" Depth or Diameter For Memorials with multiple Sculptures, please record this information on a separate sheet of paper for each statue (service, pose, etc) and attach to this form. Please describe the "pose" of each statue and any weapons/implements involved (in case your photos become separated from this form). Thank you!

Markings/Inscriptions (on stone-work / metal-work of monument, base, sculpture)

Maker or Fabricator mark / name? If so, give name & location found

Please attach legible photographs of all text &/or Record the text in the space below. Please use the addendum – narrative sheet if necessary.

See pictures for text

FORM CWM #61 PAGE 3

Environmental Set (The general vicinity and in	ting nmediate locale surrounding	a memorial can play a maj	or role in its overall conditi	on.)
Type of Location				
✓ Cemetery	Park	Plaza/Courtyard	"Town Square"	Post Office
School	Municipal Building	State Capitol	Courthouse	College Campus
Traffic Circle	Park Municipal Building Library	Other:		
General Vicinity Rural (low population	on, open land) Subu	ırban (residential, near d	city) <u>~</u> Town Urb	oan / Metropolitan
Industrial Cor	check as many as may ap mmercial Stree e elements (canopy or end	et/Roadside within 20 fe		
Any other significant env	vironmental factor			
[To detai	il the condition of a monun	nent used the addendur	n form for <i>Monument's</i> (Condition]
Addendums attached to		Monument's Condition	and the <i>Narrative</i> form CWM-62 <i>SUVCW Mem</i> o	s. Only the <i>Monument's</i>
City		State	Zip Code	
Telephone ()				
Are you a member of US Grant Camp 68 MO SUV	of the Allied Orders of	the G.A.R.? If so, v	which one?	
Please send this cor	Wa 12	alt Busch, PDC, Cha 240 Konert Valley Dr Fenton, MO 63026		

Thank you for your help, and attention to detail.

Sons of Union Veterans of the Civil War - Civil War Memorials Committee.



of this organization living, the average age being about 100. The eighty-third and last National Encampment, with six members attending, was held at Indianapolis, Ind., on Aug. 28-31, 1949, and at this meeting it was determined to disband the organization. Five affiliated organizations have been organized and are carrying on the work started by the Grand Army of the Republic, i.e., the Women's Relief Corps, the Ladies of the Grand Army of the Republic, the Daughters of Union Veterans of the Civil War, the Sons of Union Veterans of the Civil War, and the Auxiliary to the Sons of Union Veterans of the Civil War.

Collier's Encyclopedia, Volume 9, 1957

Judge Thomas E. Webster, Bay City's last Civil War veteran and the only remaining Bay County member of the G.A.R. died on Sept. 13, 1940. He is buried at Elm Lawn Cemetery, Bay City.

Howitzer that was used during the American Civil War, 1861-1865 by the U.S. Army in siege operations against fixed fortications that were considered too difficult for the infantry or normal horse drawn Field Artillery to penetrate. This particular piece was cast in 1863 by Cyrus Alger & Co. of South Boston, Mass. This works and the Fort Pitt Foundry of Pittsburg, Penn. were the only two manufacturers of this model of the 8 inch Siege Howitzer with a total production by both firms of 171 pieces. Cyrus Alger, who started his foundry business in 1817, was held to be one of the best iron metallurgists of his day. An early source quotes that "By a method entirely of his own, he succeeded in so purifying cast iron as to give it more than triple the strength of ordinary cast iron, removing the impurities while in a fluid state, and causing it to be much more dense, and this gave him great advantage over other iron foundries. It also gave him superior skill in the manufacture of cannons..." After his death in 1856, the

U.S. Grant Posts of the Grand Army of the Republic. The piece was delivered and placed on this site March 1902. Over the period of 100 years, the concrete base for the piece had deteriorated and, as mentioned elsewhere, in Oct. 2002, a group of veterans, inspired by the late Gordon "Gordy" McAllister and led by Col. DeVere Woods, U.S.A.F. Ret., formed and built a new mount, which faithfully recreated the original in style and which was placed in its original location.







To preserve and strengthen those kind and fraternal feelings which bind together the Soldiers and Sailors of the Rebellion.

They have served their Country And fought for freedom too. They are quietly sleeping Under the Red, White and Blue.

To Perpetuate the memory of the Who dared death that the nation Might live, this monument is erected by their Comrades.

EAST FACE

NORTH FACE

WE'T FACE

GRAND ARMY OF THE REPUBLIC

The Grand Army of the Republic, an organization of Northern veterans of the American Civil War, established on Apr. 6, 1866, through the efforts of Major B.F. Stephenson of Springfield, Ill. The first National Encampment was held in Indianapolis, Ind., on Nov. 20, 1866, and Stephen A. Hurlbut of Illinois was elected commander in chief. The first post was located at Decatur, Ill. In 1924 the Grand Army of the Republic was incorporated by an Act of Congress. It was through the efforts of this organization that Memorial Day, observed in the majority of states on May 30. was established. Many soldiers' homes were established by the Grand Army of the Republic, some of which are now known as Veterans Facilities. The highest membership was reached in 1890, with a total of 409,489. In 1949 there were but 16 members of this organization living, the average age being about 100. The eighty-third and last National Encampment, with six members attending, was held at Indianapolis, Ind., on Aug. 28-31, 1949, and at this meeting it was determined to disband the organization. Five affiliated organizations have been organized and are carrying on the work started by the Grand Army of the Republic, i.e., the Women's Relief Corps, the Ladies of the Grand Army of the Republic, the Daughters of Union Veterans of the Civil War, the Sons of Union Veterans of the Civil War, and the Auxiliary to the Sons of Union Veterans of the Civil War.

Collier's Encyclopedia, Volume 9, 1957

Judge Thomas E. Webster, Bay City's last Civil War veteran and the only remaining Bay County member of the G.A.R. died on Sept. 13, 1940. He is buried at Elm Lawn Cemetery, Bay City.



SOLDIER'S REST. THE SOLDIER'S REST AREA IS LAID OUT ON LOTS 773 THRU 791. MENT
MEST
METERY PINE, CEMETERY 566 FRONT) BUTTONEYCOD FLAG POLE. MONUMENT. W. W. II MEMORIAL CURB INSCRIPTION CANNON. WOODLAWN PEACH

Within the addition to the Gmemorials.

Immediate bears at its base

At the So era cannon more of the cannon d by the Sons of I Camp No. 67 at of Foreign Wa

Albout 10 stone reading:

Surroun concrete cu is an inscri







THE ORIGINAL CANNON MOUNTS

FRONT VIEW OF DETERIORATION

The CANNON

The cannon here at "Soldier's Rest" is a model 1861, 8 inch Siege Howitzer that was used during the American Civil War, 1861-1865 by the U.S. Army in siege operations against fixed fortications that were considered too difficult for the infantry or normal horse drawn Field Artillery to penetrate. This particular piece was cast in 1863 by Cyrus Alger & Co. of South Boston, Mass. This works and the Fort Pitt Foundry of Pittsburg, Penn. were the only two manufacturers of this model of the 8 inch Siege Howitzer with a total production by both firms of 171 pieces. Cyrus Alger, who started his foundry business in 1817, was held to be one of the best iron metallurgists of his day. An early source quotes that "By a method entirely of his own, he succeeded in so purifying cast iron as to give it more than triple the strength of ordinary cast iron, removing the impurities while in a fluid state, and causing it to be much more dense, and this gave him great advantage over other iron foundries. It also gave him superior skill in the manufacture of cannons..." After his death in 1856, the

firm wa own rig govern The ba 54 in. loaded & Co. ufactu casting this m Rodm accept The n 1,5951 This 1 a reli O. Cı U.S. was (of 10

as m

by th

Woo

fully

origi

Camp No. 6

of Foreign

stone readi

Abou

Surro

concrete

is an ims

ETERY Within the boundaries of the Soldier's Rest burial area, in addition to the G.A.R. Monument, lie a small number of other memorials. Immediately to the East of the G.A.R. mound, the flag pole bears at its base the date May 23, 1928. At the Southwest point of the Veteran's area is a Civil War era cannon mounted on a base reading G.A.R. The original base of the cannon deteriorated and was rebuilt as original in Oct. 2002 by the Sons of Union Veterans of the Civil War Gen. Phil Kearny Camp No. 67 and The Essexville Hampton Post 7053, Veterans of Foreign Wars.

About 10 feet to the East of the cannon is a small memorial stone reading:

MEMORIAL TO ALL
VETERANS OF WORLD WAR II
GIVEN BY
D.T. CHAPMAN WOMAN'S
RELIEF CORP'S NO. 271

CURB INSCRIPTION

CANNON.

Surrounding the entire Soldier's Rest burial area in a low concrete curbing. At the Southwest point, in front of the cannon is an inscription in the concrete reading:

THIS WALL WAS
PLACED HERE BY THE
WOMAN'S RELIEF
CORPS. IN LOVING
MEMORY OF THE
GRAND ARMY OF THE
REPUBLIC. 1920

concrete curbing. At the Southwest point, in front of the cannon is an inscription in the concrete reading:

THIS WALL WAS
PLACED HERE BY THE
WOMAN'S RELIEF
CORPS. IN LOVING
MEMORY OF THE
GRAND ARMY OF THE
REPUBLIC. 1920

firm was continued by his son Francis Alger, a metallurgist in his own right. During the Civil War, the Alger works furnished the government with over 1,700 guns and employed around 400 men. The barrel of the howitzer is 15 in. diameter with a total length of 54 in. It has a smooth bore of 8 in. diameter and used muzzle loaded black powder to propel the projectile. The markings C.A. & Co. on the muzzle bore of this piece are the initials of the manufacturer, the barrel weight is 2,548 lbs.; 1863 is the year of the casting, while the No. 16 is the U.S. government serial number for this model. The initials T.J.R. are those of Major Thomas Jefferson Rodman, the U.S. Army Ordinance officer who inspected and accepted the piece into service. He served from 1841 to 1871. The number 1595 on the right rim base means that this was the 1,595th piece produced by the Alger Co. This piece of obsolete and surplus ordinace was acquired as a relic and a memorial to the veterans by Congressman Rousseau O. Crump of Bay City, and presented to the H.P. Merrill and the U.S. Grant Posts of the Grand Army of the Republic. The piece was delivered and placed on this site March 1902. Over the period of 100 years, the concrete base for the piece had deteriorated and, as mentioned elsewhere, in Oct. 2002, a group of veterans, inspired by the late Gordon "Gordy" McAllister and led by Col. DeVere Woods, U.S.A.F. Ret., formed and built a new mount, which faithfully recreated the original in style and which was placed in its original location.

ION