FORM CWM #61 PAGE 1 OF 4

NATIONAL ORGANIZATION

SONS OF UNION VETERANS OF THE CIVIL WAR

CIVIL WAR MEMORIAL ASSESSMENT FORM

PLEASE:

- Type or print, using a ball-point pen, when filling out this form. Legibility is critical.
- Do not guess at the information. An answer of, "Unknown," is more helpful.
- Include a photograph of each viewable side and label it with name & direction of view.
 Thank You.

Type of Memorial		
Monument with Sculpture	Monument with	Cannon
X Monument without Sculpture	Historical Marker	
Affiliation		
G.A.R. (Post Name & No)	M.O.L.L.U.S.
W.R.C. (Corps Name & No)	Other Allied Order
SUVCW (Camp Name & No)	(Please describe below)
DUVCW (Tent Name & No)	
X Other: Austin Baptist Church		
Original Dedication Date 2007	Please consult any/al	I newspaper archives for a
ocal paper's article that would have information on the first ded	ication ceremony and/or oth	er facts on the memorial.
Please submit a copy of your findings with full identification of the	ne paper & date of publication	n. Thank you.
Location		
The Memorial is <i>currently</i> located at:		
Street/Road address or site location N38°30.212 \	N94°17.982. Hwy T So of D	Dean St
City/Village Austin Township	County C	ass
only, vinage rownship	County	
The front of the Memorial faces: North	South Ea	ast <u>×</u> West
Government Body, Agency, or Individual Owner (of Name Austin Baptist Church		
Name Austin Baptist Church Street Address Hwy T		
City Austin	State Zip C	Code 64725
Contact Person	Telephone ()	
	, ,	
f the Memorial has been moved, please list form	mer location(s)	
		· · · · · · · · · · · · · · · · · · ·
Physical Details		
Material of Monument or base under a Sculpture or Cannon =	X _{Stone} Concrete	Metal Undetermined
f known, name specific material (color of granite, m		

Post Office

"Town Square"

School

	ourban (residential, r oan / Metropolitan	near city)
Immediate Locale (check as many as may apply) Industrial Commercial Street/Roadside within 20 feet Tree Covered (or Protected from the elements (canopy or enclosure, indo Protected from the public (fence or other barrier) Any other significant environmental factor	ors)	
Condition Information		
Structural Condition (check as many as may apply) The following section applies to Monuments <i>with</i> Sculpture, and Mo	•	
including the base for Monuments with <i>Cannon</i> . Instability in the by a number of factors. Indicators may be obvious or subtle. base.		
If hallow is the internal support unstable/eveneed?	Sculpture	Base
If hollow, is the internal support unstable/exposed? (look for signs of exterior rust) Any evidence of structural instability? (look for cracked joints, missing mortar or caulking or plant growth)		
Any broken or missing parts? (look for elements (i.e., sword, musket, hands, arms, etc missing due to vandalism, fluctuating weather conditions, etc.) Any cracks, splits, breaks or holes?	_	
(also look for signs of uneven stress & weakness in the material) Surface Appearance (check as many as may apply)		
Black crusting White crusting Etched, pitted, or otherwise corroded (on metal) Metallic staining (run-off from copper, iron, etc.) Organic growth (moss, algae, lichen or vines) Chalky or powdery stone Granular eroding of stone Spalling of stone (surface splitting off) Droppings (bird, animal, insect remains) Other (e.g., spray paint graffiti) - Please describe	Sculpture	Base
Does water collect in recessed areas of the Memorial?	Yes No X l	Jnable to tell

Surface Coating Does there appear to be a coating? Yes _X No Unable to determine If known, identify type of coating. Gilded Painted Varnished Waxed _X Unable to determine Is the coating in good condition? Yes NoX Unable to determine Basic Surface Condition Assessment (check one)
If known, identify type of coating Gilded Painted Varnished Waxed _X Unable to determine Is the coating in good condition? Yes NoX Unable to determine
Gilded Painted Varnished Waxed _X Unable to determine Is the coating in good condition? Yes NoX Unable to determine
Is the coating in good condition? Yes NoX Unable to determine
Basic Surface Condition Assessment (check one)
In your opinion, what is the general appearance or condition of the Memorial?
Well maintained Would benefit from treatment In urgent need of treatment Unable to determine
Overall Description
Briefly describe the Memorial (affiliation / overall condition & any concern not already touched on).
Church had the original building, but decided when no local historical society could afford their price to buy it, they
tore down the possibly only GAR post west of the Mississippi that was built specifically for the purpose of
holding GAR meetings. The text says they erected their picnic pavilion to commemorate the former building, but
in reality it was erected more to spite the former building.
Note: In the opinion of the writer of this, any funds ever requested for this monument should be denied. A copy
of the Post's National Historic Register Application is on file with Missouri SUV records of GAR Posts
Supplemental Background Information In addition to your on-site survey, any additional information you can provide on the described Memorial will be welcomed. Please label each account with its source (author, title, publisher, date, pages). Topics include any reference to the points listed on this questionnaire, plus any previous conservation treatments - or efforts to raise money for treatment. Thank you. Inspector Identification Date of On-site Survey Os/13/2010 Your Name Walter E. Busch
Please send this completed form to:
Please send this completed form to: Bruce B. Butgereit, PDC, Chair

Thank you for your help, and attention to detail.

SONS OF UNION VETERANS OF THE CIVIL WAR National Civil War Memorials Committee

Historic site of Stumbaugh Grand Army of the Republic Post. The first building burned in 1892. Rebuilt that year. The last member donated it of the community in the 1950's. Falling into disrepair it was razed in 2007. Austin Baptist Church erected this building to commemorate it for the community.

Grave stone of J.M. Keeton Co F 14 Kansas Cavalry built into the monument.









